## (https://www.nina.no/english)

LOGIN (HTTPS://WWW.NINA.NO/ENGLISH/LOGIN?RETURNURL=%2FENGLISH%2FNEWS%2FNEWS-ARTICLE%2FARTICLEID%2F4617%2FLONG-TERM-SIDE-EFFECTS-OF-ABDOMINAL-IMPLANTS-IN-BROWN-BEARS)

Norwen the transformation of transform

PUBLICATIONS - (HTTPS://WWW.NINA.NO/ENGLISH/PUBLICATIONS)

NEWS - (HTTPS://WWW.NINA.NO/ENGLISH/NEWS) CONTACT - (HTTPS://WWW.NINA.NO/ENGLISH/CONTAC

ABOUT NINA - (HTTPS://WWW.NINA.NO/ENGLISH/ABOUT-NINA)

News (https://www.nina.no/english/News) / News article (https://www.nina.no/english/News/News-article)

News article

## News

Work in NINA
(https://www.nina.no/english/News/Workin-NINA)

## Long-term side-effects of abdominal implants in brow bears

## Publisert 15.10.2018

A recent study from the Scandinavian Brown Bear Research Project has shown serious side effects from radio transmitters implanted into the abdominal cavity of brown bear



A recent study has shown serious side effects from radio transmitters implanted into the abdominal cavity of brown bears. Photo: Jan Gjernshaug, NINA

The 19-yr study (https://www.frontiersin.org/articles/10.3389/fvets.2018.00252/abstract), carried out in Sweden and Norway led by Professor Jon M. Arnemo at the Inland Norway University of Applied Sciences and the Swedish University of Agricultura Sciences. A total of 305 individual bears were instrumented with a widely used type of implantable radio transmitter.

"Our study is the first long-term assessment of the technical stability and pathological effects of this type of transmitter" Profe Arnemo says.

The study showed that the coating of the implants was not biocompatible, causing a serious inflammatory response and a for body reaction in many of the bears. Due to an ineffective moisture barrier, the researchers found that the internal metal parts could corrode. They also documented that implants could overheat and disintegrate, that that this caused the death of two or instrumented bears after 10 and 13 years.

Professor Arnemo highlights the importance of these results; "Hopefully, our study will improve wildlife welfare in the future. have concluded that this type of implantable radio transmitter should not be used in brown bears. We also have highlighted t general need for long-term health assessment of instrumented wild animals and recommended that standards similar to thos used in human medicine be adapted for the development and use of implantable devices in wildlife."

Contact:

Jon M. Arnemo, DVM, PhD Professor Phone: +47 99585019 Email: jon.arnemo@inn.no